

يحتوي كل قرص مغلف على:

بودرة محار	١٠٠٠ مج
(بحد أدنى ٣٦٪ كالسيوم وحد أقصى ١٪ ماغنسيوم)	
كالسيوم اللبن الطبيعي	٣٠٠ مج
(بحد أدنى ٢٤٪ كالسيوم، ١٢٪ فوسفور وحد أقصى ٣٪ ماغنسيوم)	
فوسفات الكالسيوم ثنائي القاعدة ثنائي المائبة	١٠٠ مج
(يكافئ ٢٣،٢٨ مج كالسيوم و ١٨ مج فوسفور)	
أكسيد الماغنسيوم	٢٧،٥ مج
(يكافئ ١٦،٦ مج ماغنسيوم)	
أوروتات الزنك ثنائي المائبة	٣١،٥ مج
(يكافئ ٥ مج زنك)	
بيريدوكسين هايدروكلورايد	١ مج
(مكافئ لـ ٠،٨٢٣ م.فيتامين ب١)	
كولكالسيفيرول بودرة ١٠٠،٠٠٠ وحدة دولية/ مج	٢ مج
(يكافئ فيتامين د ٢٠٠ وحدة دولية)	
فيتامين ج	٢٥ مج

دواعي الاستعمال:

مكمل غذائي للمعادن والفيتامينات.

الجرعة:

قرص واحد يوميا

تحذيرات:

- إن تناول مستحضرات محتوية على الكالسيوم قد تؤثر على الامتصاص والفاعلية لبعض الأدوية مثل أدوية التتراسيكلين وأدوية الكينولون.

- تجنب أخذ جرعة زائدة والاستخدام طويل المدى.

- في حالة استخدام هذا المستحضر لمدة طويلة ينصح بتحليل عنصر الكالسيوم في البول والدم وذلك لتجنب حدوث جرعات زائدة.

- هذا المستحضر محظور استخدامه في حالات فرط كالسيوم الدم وفرط كالسيوم البول.

يجب استشارة الطبيب قبل استعمال مستحضرات الكالسيوم في الحالات التالية:

- الفشل الكلوي الحاد - زيادة نسبة الكالسيوم بالبول - حصيات الكلى - زيادة نسبة الكالسيوم أو فيتامين د بالدم

- العلاج بعقار الديجيتالز أو مدرات البول من نوع الثيازيد.

العبرة:

٣٠ قرص مغلف (٣ شرائط يحتوي كل شريط على ١٠ أقراص مغلفة).

شروط التخزين:

تخزن في درجة حرارة لا تزيد عن ٣٠°م، في مكان جاف.

المكملات الغذائية ليست لتشخيص، علاج أو منع الأمراض

إنتاج:

شركة الممن الطبية للأدوية

أبوسلطان - الاسماعلية - مصر

تاريخ الإصدار: ٢٠٠٧/٧/٤، إعادة المراجعة: ٢٠١٣ / ٧ / ٢١

LACTOCAL

Film Coated Tablets

The Comprehensive Calcium Formula

That Ensures High Absorption & Proper Utilization of Calcium

Each film coated tablet contains:

Oyster shell powder	1000 mg
(min. 36% Calcium & up to 1% Magnesium)	
Natural milk calcium	300 mg
(min. 24% Calcium, min. 12% Phosphorous and up to 3% Magnesium)	
Calcium phosphate dibasic dihydrate	100 mg
(equivalent to 23.28 mg Calcium and 18 mg Phosphorous)	
Magnesium oxide	27.5 mg
(equivalent to 16.6 mg Magnesium)	
Zinc orotate Dihydrate	31.5 mg
(equivalent to 5 mg Zinc)	
Pyridoxine HCl	1 mg
(equivalent to Vitamin B ₆ 0.823 mg)	
Cholecalciferol powder 100,000 IU/g	2 mg
(equivalent to 200 IU Vitamin D ₃)	
Vitamin C	25 mg

Indications:

Dietary supplement of minerals and vitamins.

Dosage and Administration:

The usual adult dose is 1 tablet once daily.

Warning:

The intake of calcium may influence the absorption & efficacy of some medicines (such as tetracyclines & Quinolones)

- Avoid overdose & prolonged use

- With long term use one should monitor calcium in urine and blood in order to avoid overdose

Contraindication in hypercalcemia, hypercalciuria.

How Supplied:

A pack of 3 blisters of 10 tablets each.

Storage Conditions:

Store at a temperature not exceeding 30°C, in dry place.

Consult your physician before taking this supplement if you have any of the following conditions:

- Acute renal failure, severe hypercalcinuria, renal calculi, hypercalcaemia or hypervitaminosis-D.

- Administering Digitalis glycosides or Thiazide diuretics.

Dietary supplements not intended to diagnose, treat, cure or prevent diseases

Product of: Medical Union Pharmaceuticals,

Abu-Sultan, Ismailia, Egypt

Issue Date: 4 / 7 / 2004, Revision Date: 21 / 7 / 2013

