

Rhinostop

Oral Drops

For the Relief of Nasal Congestion Free from Sugar and Dyes

Composition:

Each 1 ml contains: Pseudoephedrine hydrochloride 25 mg
Carbinoxamine maleate 2 mg

Properties :

- * Pseudoephedrine hydrochloride is an oral sympathomimetic which exerts a vasoconstrictor effect on the blood vessels of the nasal mucosa when they are dilated as a result of inflammation.
- * Carbinoxamine maleate is an antihistaminic which reinforces the decongestant activity of pseudoephedrine, and blocks the pathogenic mechanism of allergic rhinitis.
- Rhinostop reduces swelling of membranes, relieves congestion, stops excessive secretion and consequently, decreases the risk of infection of the paranasal sinuses.
- Rhinostop Oral Drops is a systemic decongestant, which unlike nasal solutions or sprays, its effect is not confined to the nasal mucosa.
- Rhinostop acts on the upper respiratory tract and does not cause local irritation or rebound congestion.

Indications:

Relief of nasal congestion, runny nose, sneezing, itching of nose or throat, and itchy watery eyes due to common cold, hay fever, or other upper respiratory allergies.

Contraindications:

Hypersensitivity to any component of the preparation, gastrointestinal or genitourinary obstruction, narrow angle glaucoma and severe hypertension.

Adverse reactions:

As other sympathomimetics and antihistamines, this medication might causes mild undesirable symptoms such as skin rashes, drowsiness, dry mouth, blurred vision, tachycardia.

Precautions:

- * Other medications containing sympathomimetic agents should not be taken simultaneously with Rhinostop.
- * Caution should be taken with patients suffering from diabetes mellitus or hyperthyroidism .
- * If symptoms do not improve within 7 days or are accompanied by fever, consult a doctor.

Dosage:

* Do not use for children less than six years old.

Children: One full calibrated dropper every 4 - 6 hours by mouth.

* Can be added to juices.

How supplied:

15 ml bottle with a calibrated dropper.

Storage:

* Store at room temperature.

* Protect from light.

Product of: Medical Union Pharmaceuticals,
Abu-Sultan, Ismaillia, Egypt.

Issue Date: 16 / 5 / 2000, Rerevision Date: 2 / 6 / 2010



رينوستوب

نقط للاستعمال عن طريق الفم

علاج احتقان الأنف

خل من السكر والألوان الصناعية

التركيب:

كل 1 ملليلتر يحتوى على: سودوافدرين هيدروكلوريد ٢٥ مجم
كاربينيوكسامين ماليات ٢ مجم

الخواص:

- * سودوافدرين عنصر مقلد للسميثاوى ذو تأثير قابض على الأوعية الدموية للغشاء المخاطى المبطن للأذن حينما يتددى نتيجة للتلاطيم.
- * كاربينيوكسامين ماليات له تأثير مضاد للحساسية يدعم تأثير سودوافدرين بالإضافة لإعاقبة نشوء الاحتقان الأنفي الناتج عن فرط الحساسية.
- رينوستوب يقلل التورم ويوقف الإفراز الزائد وبالتالي يقلل من مخاطر إصابة الجيوب الأنفية بالعدوى.

- رينوستوب نقط مخففة لاحتقان الأنف عن طريق الفم بخلاف نقط الأنف أو المستحضرات الموضعية الأخرى والتي يتتصدر تأثيرها على الغشاء المخاطى المبطن للأذن.

- رينوستوب ذو تأثير على الجهاز التنفسى الطوى ولا يسبب أى تهيج موضعي أو الاحتقان الارتدى.

دوعى الاستعمال:

يستخدم في حالات احتقان الأنف وزيادة إفرازاته وحكة الأنف والبلغم والعين المصاحبة لنزلات البرد وحتى القش وسائر حالات حساسية الجهاز التنفسى الطوى.

موانع الاستعمال:

الحساسية لأى من المكونات التى تدخل في تركيب هذا المستحضر، أو انسداد أى من الجهاز المعاوى أو الجهاز البولى التالسى، الجلوكوما (ضيقية الزاوية) وارتفاع ضغط الدم الحاد.

التفاعلات المضادة:

مثل سائر مضادات الحساسية والأدوية ذات التأثير السميثاوى، هذا الدواء نادرًا ما قد يسبب بعض الأعراض الغير مرغوبة مثل الطفح الجلدى، الدوار، جفاف الفم، زغالة الرؤية وسرعة ضربات القلب.

الاحتياطات:

- * لا ينبغي استخدام المستحضرات التي تحتوى على مواد ذات التأثير السميثاوى أثناء استخدام رينوستوب.
- * يوصى بالحرص عند استخدام المستحضر مع المرضى الذين يعانون من البول السكري وازدياد نشاط الغدة الدرقية.

* إذا لم تتحسن الأعراض خلال سبعة أيام أو إذا كانت الأعراض مصحوبة بارتفاع فى درجة الحرارة فيجب مراجعة الطبيب.

الجرعة:

- * لا يستخدم للأطفال أقل من ٦ سنوات.
- * الأطفال: ملء قطارة كل ٤ إلى ٦ ساعات يومياً عن طريق الفم.
- * يمكن إضافة الجرعة إلى العصائر.

العبوة:

زجاجة عبوة ١٥ ملليلتر مع قفلة معابرية.

شروط التخزين:

- * يحفظ فى درجة حرارة الغرفة.
- * يحفظ بعيداً عن الضوء.

انتاج:

شركة السادس الطبية للأدوية

أبو سلطان-الإسماعيلية-مصر

تاریخ الإصدار: ١٦ / ٥ / ٢٠٠٠، إعادة مراجعة: ٢ / ٦ / ٢٠١٠

